



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

*Mitchell E. Daniels Jr.*  
**Governor**

*Thomas W. Easterly*  
**Commissioner**

100 North Senate Avenue  
Indianapolis, Indiana 46204  
(317) 232-8603  
Toll Free (800) 451-6027  
[www.idem.IN.gov](http://www.idem.IN.gov)

January 4, 2011

Mr. Ken Alexander  
Director of Municipal Works  
MS4 Coordinator  
Town of Sellersburg  
316 East Utica Street  
Sellersburg IN 47172

Dear Alexander:

**Re: Rule 13 Permit Evaluation & Inspection  
327 IAC 15-13  
INR040116 MS4 Permit Number  
Clark County**

The Rule 13 Permit Evaluation and Inspection conducted by the Indiana Department of Environmental Management (IDEM) on 8/17/2010 and 8/26/2010 is authorized by 327 IAC 15-13-22 of the rule. The primary goals of the evaluation and inspection process are to (1) determine permit compliance status, (2) provide a compliance assistance tool, (3) help to correct deficiencies in the SWQMP, and (4) provide technical assistance for continued adequate control measure performance during subsequent permit terms.

Please review the enclosed reports and respond in writing to IDEM for those items that are marginal, unsatisfactory, and/or violations of the permit within thirty (30) days of the receipt of the evaluation with a plan to correct deficiencies. If you addressed the deficiencies in your SWQMP updates and in the annual report, identify that in your response.

The Evaluation-Inspection Report provides a cumulative overview of the MS4 permit that includes review of the submitted Part C Storm Water Quality Management Plan (SWQMP), annual reports, municipal facility site inspections, documentation verification, and review of other materials provided to IDEM during the first five year permit period and the permit evaluation.

This correspondence includes the Evaluation Report and Facility Inspection Reports for the Town of Sellersburg. The reports provide observations, recommendations, requirements, recognitions, and permit compliance for public education and outreach, public participation and involvement, illicit discharge (mapping), and municipal pollution prevention and good housekeeping. The reports identify program areas that are satisfactory and meet the compliance requirements along with marginal, unsatisfactory and/or violations of the permit that will require you to respond or address with specific timelines.

The construction site (MCM #4) audit/inspection will be provided to you by the IDEM Storm Water Specialist under separate cover.

If you have any questions regarding this letter, require clarification on any issue or would just like to review the evaluation with me, please contact me at 317-234-1601 or by e-mail at rkorthal@idem.IN.gov.

Sincerely,

*Reggie Korthals*

Ms. Reggie Korthals, MPA  
MS4 Program Coordinator  
Office of Water Quality

cc: Project File